

Wound Care Products Formulary 2016

Hertfordshire Community NHS Trust

Wound Care Products Formulary 2016

Welcome to the third Hertfordshire wide wound products formulary

This formulary has been developed to assist any healthcare professional prescribing or requesting dressings for wound management in Hertfordshire. It aims to aid the decision making process and help choose the most appropriate product whilst ensuring value for money in the use of NHS resources.

Key Messages:

- All the products in the formulary have been selected taking into account available supporting clinical evidence by a panel of trust wide practitioners who have specialist knowledge and expertise in wound care.
- **Red Alert!** Indicates a high cost option that should be used with an appropriate rationale to ensure correct usage.
- Advice in the comments column should be followed when selecting products
- The formulary contains specific sections dedicated for use in podiatry and the leg ulcer service
- To avoid waste do not prescribe or request excessive quantities or issue for long term repeats. A maximum of 14 days' supply should be sufficient.
- If wound healing does not progress as expected, advice from the Tissue Viability Service should be sought.
- Dressings prescribed on FP10 for individual patients must not be used for any other patient or for car boot stock.
- Adherence to the wound products formulary will be monitored and audited. Clinical justification will be required for requesting 'off formulary'. Exception forms must be completed and sent to Tissue Viability.
- Where there may be a number of different health professionals visiting a patient, efforts should be made to avoid over ordering by ensuring that there are not multiple orders/prescriptions generated for the same dressings.

Dressing Swabs	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Sterile	Clini swab	7.5cmx7.5cm	25	ENK140	Non-woven fabric reduce fibre intrusion into wound. NB Suitable for patient use in clinic.
	Non Sterile	Softswab	10cmx10cm	100	ENK147	Suitable for chronic wounds

Absorbent Dressing Pads	Category	Brand	Size	Pack Size	Supply Chain	Comments
		Premier	10cmx20cm	25	EJA042	
			20cmx40cm	8	EJA079	

Absorbent Dressing Pads with Cellulose fluid repellent backing	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Sterile	Zetuvit E	10cmx10cm	25	EJA025	
	Sterile		10cmx20cm	25	EJA026	
	Sterile		20cmx20cm	15	EJA027	
	Sterile		20cmx40cm	10	EJA028	
	Non Sterile	Zetuvit E	10cmx10cm	50	EJA021	
	Non Sterile		10cmx20cm	50	EJA022	
	Non Sterile		20cmx20cm	50	EJA023	
Non Sterile	20cmx40cm		50	EJA024		

Superabsorbent dressing, soft, foldable and stackable for highly exuding wounds	Brand	Size	Pack Size	Supply Chain	Comments
	KerraMax Care	10cmx10cm	10	EME045	Sterile, superabsorbent, suitable for highly exuding wounds. Primary or secondary dressing, suitable under compression.
		10cmx22cm	10	EME023	
		20cmx22cm	10	EME024	
		30cmx20cm	5	EME025	
		Multisite	5	EME122	

Dressing Pack : for aseptic technique only. I make up a non sterile pack for all other dressings	Category	Brand	Size	Pack Size	Supply Chain	Comments
		Polyfield Nitrile Patient Pack	s/m/l gloves	20	FP10	Each pack contains 1 pair of powder free nitrile AF gloves, Sterile laminate sheet (50cm x 45cm) 7 non woven swabs (10cm x 10cm) 1 towel (43cm x 38cm) 1 white polythene disposable bag Measuring guide and 1 apron
	On FP10 prescription	Nurse it	s/m gloves m/l gloves	10	FP10	As above includes Plastic tray & disposable forcep
	Not available on FP10	Softdrape	Small	20	EJA045	As above includes plastic tray (without forcep)
			Medium	20	EJA046	
Large			20	EJA047		

Superabsorbent for highly exuding wounds	Brand	Size	Pack Size	Supply Chain	Comments
	Flivasorb	10cmx10cm	10	EME026	Sterile, Superabsorbent suitable for highly exuding wounds. White wound contact layer with blue outer protection layer. Compression.
		10cmx20cm	10	EME027	
		20cmx20cm	10	EME028	
		20cmx30cm	10	EME029	

Non Sterile dressing packs	Brand	Size	Pack Size	Supply Chain	Comments	
		Disposable		200	MVB029	
		Plastic backed sheets		100	CTC007	All components are available from NHS Supply Chain
		Vinyl disposable gloves		100	FTG050 / FTG051 / FTG052	Make up packs individually as required
		Disposable apron		100	BTB272	

Irrigations	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Sterile	Tap water	N/A	N/A	N/A	Consider shower or designated bowl in patients own home. Suitable for general use if wound cleansing is necessary for wounds such as leg ulcers & contaminated pressure ulcers
	Non Sterile	Clinipod	20ml	25	MRB742	Suitable for general use where wound cleansing is necessary

Skin Protective Barrier: Follow Moisture Associated Incontinence Dermatitis Flow Chart	Category	Brand	Size	Pack Size	Supply Chain	Comments	
		Sudocrem	125g	1			Barrier cream (incontinence, slight erythema, mild moisture associated incontinence dermatitis)
			400g	1			
		Cavilon	28g	1	ELY571		Barrier Cream Durable barrier cream (moderate to severe moisture associated incontinence dermatitis)
			92g	1	ELY568		
			2g	30	ELY569		
	Barrier Film pump spray (broken skin, severe incontinence associated dermatitis)	Cavilon	28ml	1	ELY040		Waterproof barrier film for use on broken or irritated skin
	Barrier film (sterile)		1ml	25	ELY038		
	Barrier film foam applicators (sterile)	Cavilon	3ml	25	ELY039		

Low/Non Adherent Dressing	Category	Brand	Size	Pack Size	Supply Chain	Comments
	First choice knitted viscose primary dressing impregnated with neutral triglyceride	Atrauman	5cmx5cm	50	EKA024	
			7.5cmx10cm	50	EKA032	
			20cmx30cm	50	EKA036	
	Other Options Soft polymer wound contact dressing !	Urgotul	5cmx5cm	40	EKB056	For light to moderate exuding wounds. Promotes granulation. Only use if frequency of dressing changes can be reduced.
			10cmx10cm	25	EKB057	
			11cmx11cm	10	FP10 only	
			16cmx21cm	10	FP10 only	
			15cmx20cm	16	EKB058	
			20cmx30cm	5	EKB060	
Soft silicone wound contact layer	ActivHeal	5cmx7.5cm	10	on-line	Only use if dressing can stay in place for 7 days. Irrigate through primary dressing and change secondary dressing according to need	
		10cmx10cm	10	on-line		
		10cmx20cm	10	on-line		
		15cmx15cm	5	on-line		
Absorbent dressing, non-adherent, perforated plastic film facing and non-woven backing	Telfa	7.5cmx5cm	100	EJE051	Mild to moderate exudate	
		7.5cmx10cm	100	EJE053		
		7.5cmx15cm	100	EJE055		
		7.5cmx20cm	100	EJE057		

Island dressing with integral absorbent pad	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Absorbent perforated dressing with adhesive border	Softpore	6cmx7cm	60	EIJ023	Suitable for lightly exuding wounds
			10cmx10cm	50	EIJ013	
			10cmx15cm	50	EIJ014	
			10cmx20cm	30	EIJ024	
			10cmx25cm	30	EIJ025	
			10cmx30cm	30	EIJ026	
			10cmx35cm	30	EIJ027	

Alginate dressing sterile: cover with moisture retentive dressing. Not suitable for dry necrotic wounds	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Alginate/haemostatic	ActivHeal	5cmx5cm	10	ELS139	For moderate to heavily exuding wounds. Irrigate to remove.
			10cmx10cm	10	ELS140	
			10cmx20cm	5	ELS141	
			Rope	5	ELS142	

Hydrofibre Dressing	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Aquacel Extra Square		5cmx5cm	10	ELY377	Absorbs wound exudate and transforms to a soft gel. Micro-.contours to the wound bed.
			10cmx10cm	10	ELY378	
			15cmx15cm	5	ELY379	
	Aquacel Extra Ribbon		2cmx45cm	5	ELY013	
	1cmx45cm		5	ELY368		

Film Dressings	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Vapour permeable (no pad)	Tegaderm	6cmx7cm	100	ELW211	N.B Ruler on pack
			10cmx12cm	50	ELW213	
			15cmx20cm	10	ELW217	
			10cmx25cm	20	ELW215	
	Vapour permeable (with pad)	Tegaderm	5cmx7cm	50	ELW005	
			9cmx10cm	25	ELW006	
			9cmx15cm	25	ELW007	
			9cmx20cm	25	ELW008	
			9cmx25cm	25	ELW009	
			9cmx35cm	25	ELW010	

Odour absorbing dressing	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Activated charcoal non-absorbent dressing	Clinisorb	10cxm10cm	10	ELV051	
			10cmx20cm	10	ELV053	
			10cmx25cm	10	ELV055	

Standard Foam non adhesive dressings: for light to moderate exudate	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Non Adhesive Foam	ActivHeal	5cmx5cm	10	ELA214	
			10cmx10cm	10	ELA216	
			10cmx20cm	10	ELA246	
			20cmx20cm	5	ELA218	
	Foam Heel	20cmx20cm	10	ELM160		

Standard Adhesive Foam Dressings: for light to moderate exudate	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Foam Adhesive	Biatain Adhesive	7.5cmx7.5cm	10	ELA634	Circular contact pad 6cmx6cm
			10cmx10cm	10	ELA074	
			12.5cmx12.5cm	10	ELA044	
			15cmx15cm	5	ELA635	
			18cmx18cm	5	ELA045	
			18cmx28cm	10	ELA259	
		Biatain Sacral	23cmx23cm	5	ELA050	
Biatain Heel	19cmx20cm	5	ELA051			

Silicone Adhesive: use when there is a reaction to standard adhesive, skin is fragile or pain is experienced at dressing changes	Category	Brand	Size	Pack Size	Supply Chain	Comments	
	Silicone Adhesive	Biatain Silicone	7.5cmx7.5cm	10	ELA425	Soft and flexible, Silicone border, Absorbent foam pad	
			10cmx10cm	10	ELA451		
			12.5cmx12.5cm	10	ELA426		
			15cmx15cm	5	ELA427		
			17.5cmx17.5cm	5	ELA428		
		Biatain Silicone Lite	5cmx5cm	5	ELA786		
			5cmx12.5cm	5	ELA787		
		Biatain Silicone Sacral	15cmx19cm	5	TBC		Available from January 2017
			25cmx25cm	5	TBC		
		Biatain Silicone Heel	18cmx18cm	5	TBC		
	Biatain Silicone	14cmx19.5cm	5	TBC			
		10cmx20cm	5	TBC			
10cmx30cm		5	TBC				

Film Adhesive	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Alternative film adhesive foam. High performance foam with film adhesive	Tegaderm	8.8cmx8.8cm square	10	ELA371	Low to high levels of exudate. Trauma free stretch and release technique to remove. Useful shapes for awkward to dress areas.
			10cmx11cm oval	10	ELA177	
			14cmx14cm square	10	ELA180	
			6.9cmx7.6cm mini wrap	10	ELA492	
			6.9cmx6.9cm mini oval	10	ELA493	
			14xcm15cm oval	5	ELA178	
			19cmx22.2cm oval	10	ELA179	

Hydrocolloids	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Hydrocolloid standard semi permeable sterile	ActivHeal	5cmx7.5cm	10	ELM150	
			10cmx10cm	10	ELM104	
			15cmx15cm	5	ELM105	
			15cmx18cm Sacral	5	ELM106	
	Foam Backed sterile	ActivHeal	5cmx7.5cm	10	ELM152	
			10cmx10cm	10	ELM154	
			15cmx15cm	5	ELM156	
			15cmx18cm Sacral	5	ELM158	
	Hydrocolloid semi - permeable sterile	Comfeel Plus Ulcer	4cmx6cm	10	ELM064	
			10cmx10cm	10	ELM351	
			15cmx15cm	10	ELM353	
			20cmx20cm	5	ELM164	
			18cmx20cm Sacral	5	ELM001	

Bandages	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Bandage polyamide 4m stretched	Easifix	2.5cm	20	EDB060	Viscose and Polyamide knitted light retention bandage. Highly conformable. 2 way stretch
			5cm	20	EDB062	
			7cm	20	EDB061	
			10cm	20	EDB067	
			15cm	20	EDB063	

Stockinette: no compression	Brand	Type	Size	Pack Size	Supply Chain	Comments
	Actifast	Small limb (red line)	1m	1	EGP079	
		Medium limb (green line)	1m, 3m, 5m	1	EGP080	
		Large limb 7.5cm (blue line)	1m, 3m, 5m	1	EGP084	
		Trunk (child) 10.5cm (yellow line)	1m, 3m, 5m	1	EGP087	
		Trunk (adult) 17.5cm (beige line)	1m	1	EGP090	
		Large adult (purple line)	1m, 5m	1	EGP091	

Category/ Brand	Size	Pack Size	Supply Chain	Comments
Multi-layer systems providing full compression for venous leg ulcers				
K-four multi layer compression bandage kit (18-25cm ankle)		1	EVN008	For standard sized legs (18-25cm ankle)
K-four multi layer compression bandage kit (less than 18cm)		1	EVN154	For legs with ankle less than 18cm
K-four multi layer compression bandage kit (25-30cm)		1	EVN155	For legs with 25-30cm ankle
K-four multi layer compression bandage kit (greater than 30cm)		1	EVN156	For legs with ankle greater than 30cm
K Two multi layer compression bandage kit 18-25cm (10cm)		1	ECA164	For standard sized legs (18-25cm ankle)
K Two multi layer compression bandage kit 25-32cm (10cm)		1	ECA152	For legs with 25-32cm ankle
Multi-layer systems providing reduced compression for mixed aetiology leg ulcers				
K-four reduced compression multi layer compression bandage kit	K Two kit	1	EVN145	For legs with ankle at least 18cm
K Two reduced multi layer compression bandage kit 18-25cm (10cm)	K Two kit	1	ECA205	For standard sized legs (18-25cm ankle)
K Two reduced multi layer compression bandage kit 25-32cm (10cm)	K Two kit	1	ECA206	For legs with 25-32cm ankle
Separate component				
K-soft/K four #1	10cmx3.5m	10	EPA028	Padding and shaping in general, and also first layer in multi-layer bandaging system or with short stretch system
K-Lite/K four #2	10cmx4.5cm	10	ECA100	Crepe equivalent (second layer in multi-layer bandaging system)
K-Plus/K four #3	10cmx8.7cm	10	ECA162	Light compression (Type 3A) (third layer in multi-layer bandaging system if ankle 18 – 25cm)
Ko-Flex/K four#4	10cmx6m	10	ECD018	Cohesive compression (final layer in multi-layer bandaging system)
Coban	10cmx6m	1	ECD020	Alternative cohesive compression layer to Ko-flex
Tensopress	10cmx3m	1	EBA077	Type 3C high compression (replaces Type 3A bandage as third layer in multi-layer bandaging system if ankle 25- 30cm)
Short stretch bangages/Actico	10cmx6m	1	EBA016	Cohesive compression (final layer in multi-layer bandaging system)

Medicated Bandages - For varicose eczema and similar inflamed conditions. Dressing changes weekly or up to a maximum of twice weekly	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Bandage Zinc Paste and ichthamol BP	Ichtho Paste	7.5cmx6m	1	EFA051	First choice for highly exuding wounds PATCH TEST for ichthamol sensitivity before using
	Stocking zinc oxide 20%	Zipzoc	One size		EF018	Use for chronic leg ulcers and skin conditions. Can also be used under appropriate compression bandages or hosiery in chronic venous insufficiency
	Zinc Oxide cotton paste bandage	Steripaste	7.5cmx6m	10	EFA016	Use for chronic leg ulcers and skin conditions. Can also be used under appropriate compression bandages or hosiery in chronic venous insufficiency

Surgical/Adhesive Tapes	Category	Brand	Size	Pack Size	Supply Chain	Comments
		Clinipore	1.25cmx5m	1	EHU019	
	Permeable Non woven Synthetic Adhesive Tape BP 1988	Clinipore	2.5cmx5m	1	EHU020	
		Clinipore	5cmx5m	1	EHU021	
		Hypafix	5cmx10m	1	EHR111	
	Permeable apertured Non Woven synthetic Adhesive tape BP 1988	Hypafix	10cmx10m	1	EHR113	
		Hypafix	15cmx10m	1	EHR115	
			20cmx10m	1	EHR117	
	30cmx10m		1	FP10 only		

Debridement Products	Brand	Size	Pack Size	Supply Chain	Comments
	UCS debridement wipes !	foil pack	10	DT500	Sterile pre moistened cloth for effective wound debridement and cleansing of leg area. Suitable for removing hyperkeratosis
	Debrisoft pad !	10cmx10cm	5	ELZ354	For removal of debris and superficial slough on wounds and skin. Suitable for removing hyperkeratosis
	Debrisoft lolly !		5	ELZ728	

Antimicrobial products - refer to guidance for the use of these. Reserve for non healing, infected, colonised wounds ONLY	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Dressing pads	Cutimed Sorbact	7cmx9cm	5	ELY214	Safe to use where the primary goal is to reduce bacterial burden', Binds microbes irreversibly using DACC technology (Ljungh et al 2006) Safe to use for longer periods than 2 weeks, will not harm intact skin. Do not use in combination with creams/ointments as the binding effect is impaired
			10cmx10cm	5	ELY215	
			10cmx20cm	20	ELY219	
			4cmx6cm	5	ELY212	
	Swabs		7cmx9cm	5	ELY213	
			2cmx50cm	20	ELY218	
	Ribbon		5cmx200cm	10	ELY217	
Round swabs		70	ELY309			
Alternative to silver and iodine based dressings. Enzyme alginogel Alginate gel. High to moderately exuding wounds	Flaminal Forte	15g	5	ELG022	For use on infected wounds with moderate to heavy exudate where assistance in debridement of slough or necrotic tissue is required. Active against common pathogens (MRSA, bacteria, fungi and yeast). Enzyme antimicrobial activity (White, 2006). No restrictions on length of time used.	
		30g	5	ELG023		
Hydrogel containing antimicrobial enzymes for low to moderately exuding wounds	Flaminal Hydro	15g	5	ELG021	For use on infected wounds with low to moderate exudate where assistance in debridement of necrotic or sloughy tissue is required. Active against common pathogens (MRSA, bacteria, fungi and yeast). Enzyme antimicrobial activity (White, 2006). No restrictions on length of time used.	
		50g	1	ELG025		
Chronic exuding, shallow trauma or contaminated wounds	Iodoflex	5g	5	EKB007	Should not be used on dry necrotic tissue. Do not use on children, pregnant women or people with thyroid disorders or renal impairment	
		10g	3	EKB008		
		17g	2	EKB009		
Ag dressing uses silver with Ag Oxy salt technology	KerraContact Ag !	10cmx12.5cm	5	ELY598	Does not need to be pre-moistened. Can be cut to shape and can overlap. Review after 7 days, use no longer than 2 weeks.	
		15cmx15cm	5	ELY599		
		20cmx40cm	5	ELY600		

Antimicrobial products - refer to guidance for the use of these. Reserve for non healing, infected, colonised wounds ONLY	Category	Brand	Size	Pack Size	Supply Chain	Comments
		Aquacel Ag Extra	5cmx5cm	10	ELY514	Review use after 2 weeks
			10cmx10cm	10	ELY515	
			15cmx15cm	5	ELY516	
			20cmx30cm	5	ELY517	
		Aquacel Ag Ribbon Extra	2cmx45cm	10	ELY519	Avoid packing into wound too tightly and leave 1cm overlap over the edge of the wound
			1cmx45cm	10	ELY518	
	Honey: Provides antimicrobial moist environment, reduces bacterial burden and eliminates odour. Adequate pain assessment is required, can increase exudate levels. Safe to use in Diabetic patients, monitor blood glucose	Algivon	5cmx5cm	6	CR3831	Promotion of debridement in sloughy and necrotic wounds. Reduces bacterial load, inflammation and reduction in odour (Molan, 2001). Alginate fibers enable a slow sustained release of honey.
			10cmx10cm	6	CR3659	
		Algivon Plus Ribbon	2.5cmx20cm	6	CR4231	
Activon		25g tube	6	CR3830		
Activon Tulle		5cmx5cm	6	CR3761		
		10cmx10cm	6	CR3658		
Actilite		10cmx10cm	6	CR3849		
		10cmx20cm	6	CR3852		
PHMB: polyhexamethylene biguanide – Antiseptic/ antimicrobial, controls the moisture content of low to moderately exuding wounds. Bio cellulose dressing impregnated with broad spectrum PHMB	Suprasorb X + PHMB	5cmx5cm	6	ELY243	Active against a range of common pathogens. Can remain in situ for 5- 7days Does not affect healthy cells. Suitable for light to moderately exuding, superficial and deep wounds. Consider using a film as a secondary dressing.	
		9cmx9cm	6	ELY244		
		14cmx20cm	6	ELY246		
		Rope 2cmx21cm	6	ELY245		

Skin Tear dressing products - follow skin tear pathway	Brand	Size	Pack Size	Supply Chain	Comments
	Tegaderm Absorbent Clear Acrylic Dressing	3.8cmx9.5cm	5	EKH023	Transparent, allowing for constant visualisation of the wound. Designed to be left in place for extended (this can be up to 3 weeks) periods of time and early removal may interfere with wound healing. Only change when edges have rolled compromising the viral and bacterial barrier or wound fluid is leaking into the border. Monitoring of the wound is still required.
		11.1cmx12.7cm	5	EKH024	
		14.9cmx15.2cm	5	EKH025	
		14.2cmx15.8cm	5	EKH022	
		20cmx20.3cm	5	EKH027	
		16.8cmx19cm	5	EKH026	

Category	Brand	Size	Pack Size	Supply Chain	Comments
	Polymem Non-adherent	8cmx8cm	6	LU only	
		10cmx10cm	6		
		13cmx13cm	6		
	Polymem Max	11cmx11cm	6		
	Biatain Ibu Non-Adhesive	5cmx7cm	5		
		10cmx12cm	5		
		15cmx15cm	5		
		20cmx20cm	5		
		10cmx22.5cm	5		
	Biatain Ibu Soft-Hold	10cmx12cm	5		
		15cmx15cm	5		
		10cmx22.5cm	5		
Multi-layer compression bandage	Coban 2	2 layer bandage kit			
	Coban 2 Lite	2 layer bandage kit			

! Restricted Specialist Products - Podiatry ONLY	Category	Brand	Size	Pack Size	Supply Chain	Comments
	Irrigation	Normasol	25ml	25	Podiatry only	<ul style="list-style-type: none"> Ulcers on the foot have additional factors which can prevent them from healing. Some dressings will behave differently when walked on. Hydrocolloids and adhesive dressings are not recommended to be used for ulcers on the diabetic foot. NB signs of infection are not always typical in infected wounds in a person with diabetes or peripheral vascular disease. Consider referring any diabetic foot ulcers to Podiatry and/or consider contacting Podiatry for advice on wound care for foot ulceration.
	Silicone wound contact dressing	Adaptic Touch	5cmx7cm	5		
		Mepitel	5cmx7cm	5		
	Non adhesive foam	ActivHeal	Heel	5		
			Kendall Foam	5cmx5cm		
		7.5cmx7.5cm		100		
	Specialist foam silicone dressing non-bordered	Mepilex XT	10cmx11cm	5		
		Mepilex Ag	10cmx10cm	5		
	Silver	Atrauman Ag	5cmx5cm	10		
		Acticoat Moisture Control	10cmx10cm	10		
	Non adhesive super absorbent dressing	Drawtex	5cmx5cm	10		
			10cmx10cm	10		
	Iodine	Inadine	5cmx5cm	25		
10cmx10cm			25			
	Iodosorb	10g	4			
Foam non adhesive	Polymem	11cmx11cm	10			
	Polymem Silver	10.8cmx10.8cm	30			

Other Medical Therapies	Brand	Size	Pack Size	Supply Chain	Comments	
	KerraPro Pressure Reducing Pads	Sacrum/Ankle		1	FES9910	Helps to protect the skin in at risk patients as part of a pressure ulcer prevention programme
		10cmx10cmx0.3cm		5	FES9912	
		10cmx10cmx1.2cm		5	FES9913	
		Heel		2	FES9911	
		Strips 30cmx5cmx0.3cm		5	FES9914	
		Strips 50cmx5cmx0.3cm		5	FES9915	
	Devon Foot & Heel Protector	Pair		1	FER12940	Foam positioning devices to reduce the risk of pressure ulcers whilst maintaining proper circulation and providing long lasting cushioning and protection
Devon Pad Protector	Pair		1			

Topical Negative Pressure	Brand	Size	Pack Size	Supply Chain	Comments
	Renasys - F Foam Kit	Small. Soft port dressing. Foam 10cmx8cmx3cm, 1 transparent film	1	ELZ509	Contact Tissue Viability to order pumps for delivery from Medical Devices. Order consumables on FP10 or supply chain
		Medium. Soft port dressing. Foam 20cmx13cmx3cm, 1 transparent film	1	ELZ510	
		Large. Soft port dressing. Foam 25cmx15cmx3cm, 1 transparent film	1	ELZ511	
	Renasys - G Gauze Kit	Small. Soft port dressing non-adherent gauze 7.5cmx7.5cm, transparent film, antimicrobial gauze 15cmx17cm, 1 saline bullet, 1 skin prep wipe	1	ELZ512	
		Medium. As above with non adherent gauze 7.5cm x 20cm, antimicrobial gauze 20cm x 30cm	1	ELZ513	
		Large. As above with non adherent gauze 7.5cm x 20cm, antimicrobial gauze roll 11.4cm x 3.7cm	1	ELZ514	
	Renasys GO Cannister Kit	300ml	5	ELZ515	
		750ml	5	ELZ516	

Disposable Portable Negative Wound Therapy System - MUST be used under the instruction of Tissue Viability	Brand	Size	Pack Size	Supply Chain	Comments
	PICO !	10cmx20cm	2	ELZ348	Disposable and portable negative pressure therapy system. Designed to kick start healing. Exudate levels must be moderate, when in excess of 300mls use Renasys system. Each box contains 2 dressings for one week of therapy
		10cmx30cm	2	ELZ349	
		10cmx40cm	2	ELZ478	
		15cmx15cm	2	ELZ350	
		15cmx20cm	2	ELZ351	
		15cmx30cm	2	ELZ479	
		20cmx20cm	2	ELZ480	
		20cmx25cm	2	ELZ481	

Larvae Therapy	Suitable for the debridement of many types of sloughy, infected, or necrotic wounds including leg ulcers (both venous and mixed origin), pressure ulcers, burns and ulcerated or necrotic areas on the feet of diabetics. Useful as adjunct to surgery in the management of necrotising fasciitis and to prepare wounds for grafting. Refer to Tissue Viability for advice and for further information contact www.info@biomonde.com	Brand	Size	Pack Size	Supply Chain	Comments
		BioBag !	2.5cmx4cm	1	TVN	Must not be used on wounds that have a tendency to bleed or are close to a major blood vessel. Should not be used on patients on anti-coagulants where the relevant clotting marker is not within clinical range.
			4cmx5cm	1		
			5cmx6cm	1		
			6cmx12cm	1		
			10cmx10cm	1		

For further information and all product codes please use the on the online version

Notes

Contact

Pharmacy Team
Hertfordshire Community NHS Trust
Howard Court
14 Tewin Road
Welwyn Garden City
AL7 1BW
Telephone: 01707 388000
Email: Pharmacy.enquiries@hct.nhs.uk

Tissue Viability Service
BRE Building 14
Bucknalls Lane
Watford
WD25 9XX
Telephone: 01923 686815

Printed: November 2016
Design: October 2016